

Marking & Coding Solutions


26-16 SIMS CRES. RICHMOND HILL, ON L4B 2P1, CANADA

INFO@RNJET.COM

Tel: 1 (905) 597 4978 Toll Free: 1 (866) 551 9406

TIJ Series

RNJetT1,T2ST,T4ST



DATE 02.10.2023

Dillary to Director

12V/SA POWER OFFION PHOTOCELL ENCODER

Sport 120 5 mines

RNJet (E

OBREDER

RNJet











Valery - Sales Division

RIJet

Mission Statement

RnJet Inc is a proudly Canadian purveyor of industrial marking & coding printers. Our skilled team with over 20 years of experience in the industry work hard every day to bring clients top-shelf quality at affordable prices.

We rise above other brands by bringing quality, simplicity, affordability and exceptional customer service to the table; our experienced staff are happy to assist with any issue, no matter how big or small.

"Our machines are designed to be very low maintenance, keeping your operating costs down and your profits up. With RNJet printers, marking and coding your products has never been easier. We offer a wide variety of inks, and our stand-alone controller features a Windows based interface which is easy to use and has endless capabilities to ensure all your company's needs are met.

When you purchase an RNJet product, you can count on our uncompromising approach to exceeding expectations and our unmatched customer service."





RNJet is proud to offer the most affordable and high-quality solutions on the market for your production line. It's much easier to buy the full solution, rather than looking for different equipment from various suppliers and trying to make them work together. You can get an all inclusive system: industrial inline hi-resolution inkjet printer and friction feeder from one company. Discover a cost-effective, robust solution that can handle your requirements well into the future, producing clean and legible codes on practically any material, regardless of the environmental temperature and humidity levels.



Reliable

Economical

High Speed

Low Maintenance

High Resolution

Canadian Quality


*Cartridge not included

What can you expect from choosing an RNJet machine for your Coding & Marking Solution?

- Creation of high-quality codes, even on high-speed bottling lines
- Consistent code quality and Industry-leading functionality
- Affordable pricing and low cost of ownership
- Easy & swift integration into your production line




RNJet Printers



With RNJet printers, marking and coding your products has never been more simple, or affordable. Our inkjet print solutions are designed to be seamlessly integrated into your production line; with brackets and photocell included, the machine is ready to go right out of the box.

Our inkjet coders are built with quality components, making the machines highly durable and able to withstand the often harsh conditions of a production line. Print with industry-leading speeds on virtually any surface; uneven or curved facets are no problem for our robust print heads.




Our printers high printing speeds; keeping up with your production line while maintaining superior print quality.



Canadian Quality

We are a proudly
Canadian company; our
machines are designed
and fully manufactured by
our skilled team of
technicians in Ontario.



Print a single line at 25mm, or up to 100mm in height using a large character machine with stitched heads.



Our machines maintain top-shelf resolution when printing on practically any material, porous or non-porous.

Our dedicated team works hard to provide the very best industrial inkjet printers with a focus on quality, simplicity, affordability, and exceptional customer satisfaction.


We offer turn-key automation, control system design and integration, as well as custom mounting to ensure ease of use and integration into your business.





A question that we often encounter is about print quality on cardboard. This material is porous, absorbent and uneven; a recipe for potentially diminished quality. Our manufacturers have performed a number of comparisons, both in-lab as well as at customer sites, and although print resolution of industrial inkjet printing is lower than print & apply labels, functionality is not affected. Barcodes and QR codes are accurately and reliably scanned but at substantially lower costs. You can trust that our printers will deliver the highest possible quality and we are confident that you will be pleased with the results.

RNSoft



OurSoftware is User-friendly, the document. creation process is as easy as Microsoft Word. Simply create your design and print it in one simple step. RNSoft is a remarkable tool for boosting productivity and reducing costs, it puts a professional labeling and barcode design tool right at your fingertips. Every RNJet printer comes pre-installed with RNSoft, free of charge. No limitation of Users and plenty of languages are available.



RNSoft for Windows

Online Offline

Offline

disconnected

192.168.1.90

ABCD

192.168.0.90

TEST

192.168.90.90

✓

Meeting Room
192.168.0.94

Meeting Room
192.168.0.94

Our specialized Windows-based software comes equipped with a low ink indicator and ink level calculator. When the ink cartridge is inserted, RNSoft measures the remaining ink level via the cartridge chip, and lets you know when it's time to replace. This allows for close monitoring of each individual color and cartridge, never missing a print.




RNSoft allows up to 100 printers to be connected simultaneously to one PC through your network.

Want color options? RNJet's got you covered!

Our machines are capable of printing on any piece you need marked. With RNJet's industrial inkjet printers, you can perform non-contact printing not only with black ink, but also pigmented white and pigmented yellow, red, and blue.




Printable Data



Each printercomespre-loaded withour Windows based software, free of charge. This user-friendly software is capable of printing the following data on practically any surface you need:

- Static textAuto date & time
- Julian date
- Jalali date
- Auto manufacture date
- Auto expiry date
- Batch number
- Serial number
- Auto shift codes
- Logo
- Image
- QR code
- GS1 Data Matrix
- Database
- Counter
- External text (weight & other info from scale and barcode scanner)












Our 7" Touchscreen LCD controller is made from stainless steel. This robust piece of machinery is dust and droplet resistent, and has no problem handling the often harsh conditions of a production line.



Printing & marking legible and accurate information on products is an important requirement for any manufacturer. RNJet provides industrial inkjet printers for printing Logos, Julian Dates, ISPM Marking, IPPC Certification symbols, Country of Origin, any type of barcodes, serial numbers, etc. in a wide variety of languages. Specially designed printing solutions for marking your products will keep your production going with no downtime, and ensure clear, legible prints every time.

Print Samples




Weare experts in themarking & codingrequirements of Food & Beverages, Breweries, Cables & Pipes, Extrusion lines, Cosmetic & Personal Care, Dairy, Egg Production, Pet Food Lines, Electronic Components, Cardboard & Carton Printing, Face Respirators, PPE & Mask Production, Hand Sanitizers, Pallets and Wood Products and many more industries. RNJet printers ensure legible, accurate prints every time, so you are always complying with the marking and coding regulations of your industry.
















With RNJet's inline solutions, it's easy and cost-effective to mark your product, whether it's metal or fiberglass material, plastic or cloth, pleated paper or PET recyclable plastic!


Consult with our specialist to get the right solution for your production line.





Specifications




Specifications	RNJet T1	RNJet T2 ST	
Display	7" touchscreen LCD controller		
No. of Print Heads	1	2 Stitched	
Printing Speed	up to 90 m/min (300 dpi)	up to 90 m/min (300 dpi)	
Max. Print Height	up to 25.4mm	up to 50mm	
Printing Distance	up to 8mm	up to 8mm	
Printing Orientation	Side printing, downwards		
Min. Drying Time	1 to 3 seconds, depending on material	1 to 3 seconds, depending on material	
Ink System	Cartridge	Cartridge	
Ink Management	Ink calculator and ink level indicator on controller, output for optional ink beacon alarm	Ink calculator and ink level indicator on controller, output for optional ink beacon alarm	
Ink Colors	black	black	
Ink Types	Solvent based, water based ink	Solvent based, water based ink	
Max. Printing Length	up to 4400mm	up to 2200mm	
Print Modes	Single & Continuous		
Supported Database Format	CSV, TXT		
Message Library	More than 1000 messages		
Interface & Keyboard Languages	English, French, Spanish, Italian, Portuguese, Russian, Arabic, Farsi, and many more		
Software	RNSoftPlus for controller, and RNSoftPlus for Windows included for free with every printer		
Ink Management	Ink percentage indicator on the screen and LED on print driver, ink consumption calculator		
I/O Ports	Photocell, Shaft Encoder, Ethernet, RS-232, USB, RS 485, beacon		
Operating Conditions	Temp: 0°C -45°C Relative Humidity: 20%-80%	Temp: 0°C -45°C Relative Humidity: 20%-80%	
External Power	Input: 100-240V 50/60 Hz Output: 12v-5.0A, 60W Max	Input: 100-240V 50/60 Hz Output: 12v-5.0A, 60W Max	










Specifications





Specifications	RNJet T2	RNJet T4 ST	
Display	7" touchscreen LCD controller		
No. of Print Heads	2	4 Stitched	
Printing Speed	up to 90 m/min (300 dpi)	up to 90 m/min (300 dpi)	
Max. Print Height	up to 25.4mm each head	up to 100mm	
Printing Distance	up to 8mm	up to 8mm	
Printing Orientation	Side printing, downwards		
Min. Drying Time	1 to 3 seconds, depending on material	1 to 3 seconds, depending on material	
Ink System	Cartridge	Cartridge	
Ink Management	Ink calculator and ink level indicator on controller, output for optional ink beacon alarm	Ink calculator and ink level indicator on controller, output for optional ink beacon alarm	
Ink Colors	black	black	
Ink Types	Solvent based, water based ink	Solvent based, water based ink	
Max. Printing Length	up to 2200mm	up to 1100mm	
Print Modes	Single & Continuous		
Supported Database Format	CSV, TXT		
Message Library	More than 1000 messages		
Interface & Keyboard Languages	English, French, Spanish, Italian, Portuguese, Russian, Arabic, Farsi, and many more		
Software	RNSoftPlus for controller, and RNSoftPlus for Windows included for free with every printer		
Ink Management	Ink percentage indicator on the screen and LED on print driver, ink consumption calculator		
I/O Ports	Photocell, Shaft Encoder, Ethernet, RS-232, USB, RS 485, beacon		
Operating Conditions	Temp: 0°C -45°C Relative Humidity: 20%-80%	Temp: 0°C -45°C Relative Humidity: 20%-80%	
External Power	Input: 100-240V 50/60 Hz Output: 12v-5.0A, 60W Max	Input: 100-240V 50/60 Hz Output: 12v-5.0A, 60W Max	












Vertical Resolution				
		600	300	
Horizontal Resolution (dpi)	1200	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	900	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	600	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	300	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	250	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	200	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	100	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	
	75	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	GTIN(01): 034531200000011 EXPIRY: 2029-12-12 Serial Number: 1h,:!hbQKRUR;LE 14:52 2022-03-24	

All samples shown above are printed with Black RNJet TIJ 2.5

Solvent-based ink. 300 x 300 dpi respresents the industry standard for marking on primary packaging. Average drying time is 1-3 seconds. While printing with a resolution below 300 dpi may improve drying time, increasing the resolution may result in slightly longer drying times.

Software Abilities



ДОБРО ПОЖАЛОВАТЬ



Print any barcode, image, graphic, or font at any rotation with our user-friendly design software.

خوش آمدید Bonne après-midi خوش آمدید RNJet کینید Bienvenido آهلا بك

RIJET Bienvenido

6M] [

RNJet

RNJet FINJER WELCOME!

Specialty Fonts

(Download any TTF Fonts

such as Arial, Dot Font,

and many more)